



**ORGANISMO ANDINO DE SALUD  
CONVENIO HIPÓLITO UNANUE**



## WEBINAR

*The New Launching of The Lancet  
Psychiatry Commission on*

# Intimate partner violence and mental health



**Helen Fischer**

Professor of Developmental Psychopathology based at the Institute of Psychiatry, Psychology & Neuroscience, King' s College London, UK



▶ **Claudia García-Moreno**

Head of Unit in the Department of Sexual and Reproductive Health and Research of the World Health Organization




▶ **Martha Rondón**

Consultant in Psychiatry, National Maternal Perinatal Institute, Lima Peru

# Asamblea Mundial de la Salud, Mayo 2016

Los ministros de salud de 194 Países Miembros de la Asamblea Mundial de la Salud adoptan un histórico **plan de acción global sobre la respuesta de los sistemas de salud a la violencia contra las mujeres y las niñas, y violencia contra los niños**



## Plan de acción global: 4 direcciones estratégicas

1. Fortalecer el liderazgo y la gobernanza del sistema de salud en responder a la VCM
2. Fortalecer el acceso a los servicios de salud y la formación de los proveedores de salud para responder a la violencia contra las mujeres
3. Fortalecer los programas de
4. Mejorar la información y evidencia disponibles

# Violence Against Women Prevalence Estimates, 2018

Global, regional and national prevalence estimates for intimate partner violence against women and global and regional prevalence estimates for non-partner sexual violence against women

WHO, on behalf of the United Nations Inter-Agency Working Group on Violence Against Women Estimation and Data (VAW-IAWGED)



# Intimate partner violence and sexual violence against women remain pervasive in the lives of women and girls across the globe

On average  
**736**  
**million**

and up to 852 million women who were aged 15 years or older in 2018





(nearly **1 in 3** women)


have been subjected one or both of these forms of violence at least once in their lifetime.

Most of this violence is by intimate partners.

# GBV: Scope and magnitude of the problem



 Lifetime prevalence of physical and/or sexual intimate partner violence (%)

 Past 12 months prevalence of physical and/or sexual intimate partner violence (%)

# Global prevalence estimates of physical and/or sexual intimate partner violence continued



Almost **1 in 4** ever-married/partnered adolescent girls (15–19 years old) is estimated to have already been subjected to physical and/or sexual violence from an intimate partner at least once in their *lifetime* (24%, UI 21–28%), and

→ **16%** of young women aged 15–24 experienced this violence within the *past 12 months*.







**R E S P E T O**  
A LAS MUJERES

Prevenición de la violencia  
contra las mujeres





